



{In Archive} Re: Auburn - Powerex Cross Hole Testing Plan

David A Eckhardt

238571



to:

Ralph Morse

10/08/2009 03:47 PM

Cc:

Isabel Rodrigues, " JD"

Hide Details

From: David A Eckhardt <daeckhar@usgs.gov>

To: "Ralph Morse" <MorseRE@obg.com>

Cc: Isabel Rodrigues/R2/USEPA/US@EPA, " JD" <DoughertyJN@cdm.com>

Archive: This message is being viewed in an archive.

Ralph—

I'm out of the office until next Wednesday.

I will check, but I think that this logger was started in December 2008.

After you are done with the cross-hole tests, I will send the record to you.

—Dave

David A.V. Eckhardt tel: (607)266-0217 x3018
U.S. Geological Survey cell: (607)227-4182
30 Brown Road fax: (607)266-0521
Ithaca, NY 14850-1573 daeckhar@usgs.gov, dae5@cornell.edu

From: "Ralph Morse" <MorseRE@obg.com>
To: "David A Eckhardt" <daeckhar@usgs.gov>
Date: 10/08/2009 02:38 PM
Subject: Re: Auburn - Powerex Cross Hole Testing Plan

Hi Dave:

Is the data logger in EPA-1D3 still logging? If so, how long has it been going and when do you plan to remove it?

Ralph

>>> David A Eckhardt <daeckhar@usgs.gov> 10/8/2009 2:10 PM >>>
 The D3 ports are still open at the two EPA wells, so John will just need a key to access the 1.5-inch ID Westbay tubes. A Solinst long-term datalogger is suspended in EPA-1, but that can be pulled out of the well before each test and re-installed at the end of the day.
 --Dave

 David A.V. Eckhardt tel: (607)266-0217 x3018
 U.S. Geological Survey cell: (607)227-4182
 30 Brown Road fax: (607)266-0521
 Ithaca, NY 14850-1573 daeckhar@usgs.gov, dae5@cornell.edu

From:
 "Ralph Morse" <MorseRE@obg.com>
 To:
 <rodrigues.isabel@epa.gov>, "David A Eckhardt" <daeckhar@usgs.gov>
 Cc:
 "JD" <DoughertyJN@cdm.com>, <KleridesD@cdm.com>, "jm" <MayoJJ@cdm.com>,
 <Alvey.Robert@epamail.epa.gov>, <paul.hare@ge.com>,
 <kjkelly@gw.dec.state.ny.us>
 Date:
 10/08/2009 01:18 PM
 Subject:
 Re: Auburn - Powerex Cross Hole Testing Plan

Dave:

The proposed cross hole testing program is anticipated to be a two week effort. Its my understanding that John Dougherty from CDM will be on-site to observe the cross-hole testing during the weeks of October 26th and November 2. Its also my understanding that John is not available during the second week of November and as discussed during a conference call on October 1, we chose to schedule the field work starting on October 26th for that reason.

Although not mentioned in my previous email, we propose that O'Brien & Gere install and monitor the data loggers in the EPA wells in addition to the GE wells during the test configurations that include monitoring of EPA wells. That way we can be consistent on the type of data loggers, and associated pressure ranges (i.e., sensitivity) being used for all tests. We anticipate that CDM will provide access to the EPA wells as necessary.

Given the above, we would only need EPA/CDM/USGS to open the D3 ports of EPA-1 and EPA-2 prior to the start of the tests so we can deploy our data loggers and to provide access during the days they are included in the test configuration, all of which I anticipate John Dougherty can do.

Ralph

>>> David A Eckhardt <daeckhar@usgs.gov> 10/8/2009 11:02 AM >>>
 I'll be away from the Ithaca office during the week of Oct 26.
 Is there any possibility of delaying the cross-hole tests until Nov 2?
 --Dave

 David A.V. Eckhardt tel: (607)266-0217 x3018
 U.S. Geological Survey cell: (607)227-4182
 30 Brown Road fax: (607)266-0521
 Ithaca, NY 14850-1573 daeckhar@usgs.gov, dae5@cornell.edu

From:
 "Ralph Morse" <MorseRE@obg.com>
 To:
 "John Dougherty" <DoughertyJN@cdm.com>, "Demetrios Klerides" <>,
 "Joseph Mayo" <MayoJJ@cdm.com>, <rodrigues.isabel@epa.gov>, "Kevin Kelly" <kjkelly@gw.dec.state.ny.us>, "David Eckhardt" <daeckhar@usgs.gov>
 Cc:
 "Paul (GE Corporate) Hare" <paul.hare@ge.com>
 Date:
 10/08/2009 09:53 AM
 Subject:
 Auburn - Powerex Cross Hole Testing Plan

Attached is a summary table and associated figures that identify the cross hole test configurations for the up coming cross hole testing scheduled to start on October 26th. This summary table and associated figures identify which wells are to be tested and the associated wells to be monitored during each test.

The cross hole testing methodology was presented in the NYSDEC-Approved Revised Amendment No. 5 Work Plan associated with RI/FS Work Plan Addendum No. 3 dated November 5, 2008. For convenience, the methodology is summarized below:

Cross-Hole Testing

As discussed above, cross-hole testing will be completed along Lines

0,
 1/2 and 1 following the installation of additional wells as part of the Phase 2 activities. Selected wells will be pressurized pneumatically to a target pressure of 10 pounds per square inch (psi). After stabilization for a minimum of 30 minutes, the pressure in the test well will be released and the water level in the test well and designated nearby monitoring wells will be recorded using pressure transducers and associated data loggers. Water levels will be monitored for a minimum of 30 minutes, and then the test will be repeated. The wells to be tested and the associated wells to be monitored are presented in the attached table and associated figures.

We look forward to receiving approval of this plan prior to the October 26th start date.

Thank you.

Ralph

Ralph E. Morse, C.P.G.
 Managing Scientist
 O'Brien & Gere
 435 New Karner Road
 Albany, New York 12205
 Phone: (518) 452-9392, Ext 12
 Fax: (518) 452-9525
 Mobile: (518) 951-6195
 Email: morsere@obg.com
 Web: <http://www.obg.com> (<http://www.obg.com/>)

This email, including any attachment(s) to it, is confidential and intended solely for the use of the individual or entity to which it is addressed. If you have received this email in error, please notify the sender. Note that any views or opinions presented in this email are solely those of the author and do not represent those of O'Brien & Gere.

O'Brien & Gere does not accept liability for any damage caused by any virus transmitted by this email. The recipient should check this email and any attachments for the presence of viruses.

[attachment "AP_Cross Hole Test Configurations.pdf" deleted by David A Eckhardt/WRD/USGS/DOI]

This email, including any attachment(s) to it, is confidential and intended solely for the use of the individual or entity to which it is addressed. If you have received this email in error, please notify the sender. Note that any views or opinions presented in this email are solely those of the author and do not represent those of O'Brien & Gere.

O'Brien & Gere does not accept liability for any damage caused by any virus transmitted by this email. The recipient should check this email and any attachments for the presence of viruses.

This email, including any attachment(s) to it, is confidential and intended solely for the use of the individual or entity to which it is addressed. If you have received this email in error, please notify the sender. Note that any views or opinions presented in this email are solely those of the author and do not represent those of O'Brien & Gere. O'Brien & Gere does not accept liability for any damage caused by any virus transmitted by this email. The recipient should check this email and any attachments for the presence of viruses.
